


### AMENDMENTS TO THE CLAIMS:

The following listing of claims will replace all prior versions and listings of claims in the application.

Claims 1-18 (canceled)

Claim 19 (currently amended): An oxathiincarboxamide of formula (I)



in which

G<sup>1</sup> represents ~~halogen~~, trifluoromethyl, difluoromethyl, or cyclopropyl,

G<sup>2</sup> and G<sup>3</sup> independently of one another represent hydrogen or methyl,

n represents 0, 1 or 2,

R<sup>1</sup>, R<sup>2</sup>, R<sup>3</sup>, and R<sup>4</sup> independently of one another represent hydrogen, fluorine, chlorine, methyl, isopropyl, or methylthio,

R<sup>5</sup> represents hydrogen, C<sub>1</sub>-C<sub>8</sub>-alkyl, C<sub>1</sub>-C<sub>6</sub>-alkylsulfinyl, C<sub>1</sub>-C<sub>6</sub>-alkylsulfonyl, C<sub>1</sub>-C<sub>4</sub>-alkoxy-C<sub>1</sub>-C<sub>4</sub>-alkyl, or C<sub>3</sub>-C<sub>8</sub>-cycloalkyl; represents C<sub>1</sub>-C<sub>6</sub>-haloalkyl, C<sub>1</sub>-C<sub>4</sub>-haloalkylthio, C<sub>1</sub>-C<sub>4</sub>-haloalkylsulfinyl, C<sub>1</sub>-C<sub>4</sub>-haloalkylsulfonyl, halo-C<sub>1</sub>-C<sub>4</sub>-alkoxy-C<sub>1</sub>-C<sub>4</sub>-alkyl, or C<sub>3</sub>-C<sub>8</sub>-halocycloalkyl having in each case 1 to 9 fluorine, chlorine, and/or bromine atoms; represents formyl-C<sub>1</sub>-C<sub>3</sub>-alkyl, (C<sub>1</sub>-C<sub>3</sub>-alkyl)carbonyl-C<sub>1</sub>-C<sub>3</sub>-alkyl, or (C<sub>1</sub>-C<sub>3</sub>-alkoxy)carbonyl-C<sub>1</sub>-C<sub>3</sub>-alkyl; represents (C<sub>1</sub>-C<sub>3</sub>-haloalkyl)carbonyl-C<sub>1</sub>-C<sub>3</sub>-alkyl or (C<sub>1</sub>-C<sub>3</sub>-haloalkoxy)-carbonyl-C<sub>1</sub>-C<sub>3</sub>-alkyl having in each case 1 to 7 fluorine, chlorine, and/or bromine atoms; represents (C<sub>1</sub>-C<sub>3</sub>-alkyl)carbonyl-C<sub>1</sub>-C<sub>3</sub>-haloalkyl or (C<sub>1</sub>-C<sub>3</sub>-alkoxy)carbonyl-C<sub>1</sub>-C<sub>3</sub>-haloalkyl having in each case 1 to 6 fluorine, chlorine, and/or bromine atoms; represents (C<sub>1</sub>-C<sub>3</sub>-haloalkyl)carbonyl-C<sub>1</sub>-C<sub>3</sub>-haloalkyl or (C<sub>1</sub>-C<sub>3</sub>-haloalkoxy)carbonyl-C<sub>1</sub>-C<sub>3</sub>-haloalkyl having in each case 1 to 13 fluorine, chlorine, and/or bromine atoms; or represents -COR<sup>6</sup>, -CONR<sup>7</sup>R<sup>8</sup>, or -CH<sub>2</sub>NR<sup>9</sup>R<sup>10</sup>,

- $R^6$  represents hydrogen,  $C_1-C_8$ -alkyl,  $C_1-C_8$ -alkoxy,  $C_1-C_4$ -alkoxy- $C_1-C_4$ -alkyl, or  $C_3-C_8$ -cycloalkyl; represents  $C_1-C_6$ -haloalkyl,  $C_1-C_6$ -haloalkoxy, halo- $C_1-C_4$ -alkoxy- $C_1-C_4$ -alkyl, or  $C_3-C_8$ -halocycloalkyl having in each case 1 to 9 fluorine, chlorine, and/or bromine atoms; or represents  $-COR^{11}$ ,
- $R^7$  and  $R^8$  independently of one another represent hydrogen,  $C_1-C_8$ -alkyl,  $C_1-C_4$ -alkoxy- $C_1-C_4$ -alkyl, or  $C_3-C_8$ -cycloalkyl; represent  $C_1-C_8$ -haloalkyl, halo- $C_1-C_4$ -alkoxy- $C_1-C_4$ -alkyl, or  $C_3-C_8$ -halocycloalkyl having in each case 1 to 9 fluorine, chlorine, and/or bromine atoms; or  $R^7$  and  $R^8$  together with the nitrogen atom to which they are attached form a saturated heterocycle having 5 to 8 ring atoms, where the heterocycle optionally contains 1 or 2 further nonadjacent heteroatoms selected from the group consisting of oxygen, sulphur, and  $NR^{12}$  and is optionally mono- or polysubstituted by identical or different substituents selected from the group consisting of halogen and  $C_1-C_4$ -alkyl,
- $R^9$  and  $R^{10}$  independently of one another represent hydrogen,  $C_1-C_8$ -alkyl, or  $C_3-C_8$ -cycloalkyl; or represent  $C_1-C_8$ -haloalkyl,  $C_3-C_8$ -halocycloalkyl having in each case 1 to 9 fluorine, chlorine, and/or bromine atoms; or  $R^9$  and  $R^{10}$  together with the nitrogen atom to which they are attached form a saturated heterocycle having 5 to 8 ring atoms, where the heterocycle optionally contains 1 or 2 further nonadjacent heteroatoms selected from the group consisting of oxygen, sulphur, and  $NR^{12}$  and is optionally mono- or polysubstituted by identical or different substituents selected from the group consisting of halogen and  $C_1-C_4$ -alkyl,
- $R^{11}$  represents hydrogen,  $C_1-C_8$ -alkyl,  $C_1-C_8$ -alkoxy,  $C_1-C_4$ -alkoxy- $C_1-C_4$ -alkyl, or  $C_3-C_8$ -cycloalkyl; represents  $C_1-C_6$ -haloalkyl,  $C_1-C_6$ -haloalkoxy, halo- $C_1-C_4$ -alkoxy- $C_1-C_4$ -alkyl, or  $C_3-C_8$ -halocycloalkyl having in each case 1 to 9 fluorine, chlorine, and/or bromine atoms,
- $R^{12}$  represents hydrogen or  $C_1-C_6$ -alkyl, and
- Z represents  $Z^2$ ,  $Z^3$ , or  $Z^4$ , where
- $Z^2$  represents cycloalkyl or bicycloalkyl having in each case 3 to 10 carbon atoms, each of which radicals is optionally mono- to tetrasubstituted by identical or different substituents selected from the group consisting of halogen and  $C_1-C_4$ -alkyl,

Z<sup>3</sup> represents unsubstituted C<sub>5</sub>-C<sub>20</sub>-alkyl or represents C<sub>1</sub>-C<sub>20</sub>-alkyl that is mono- or polysubstituted by identical or different substituents selected from the group consisting of chlorine and C<sub>3</sub>-C<sub>6</sub>-cycloalkyl, and

Z<sup>4</sup> represents C<sub>2</sub>-C<sub>20</sub>-alkenyl or C<sub>2</sub>-C<sub>20</sub>-alkynyl that are mono- or polysubstituted by identical or different substituents selected from the group consisting of fluorine, chlorine, bromine, iodine, and C<sub>3</sub>-C<sub>6</sub>-cycloalkyl, where the cycloalkyl moiety is optionally mono- to tetra-substituted by identical or different substituents selected from the group consisting of fluorine, chlorine, bromine, iodine, C<sub>1</sub>-C<sub>4</sub>-alkyl, and C<sub>1</sub>-C<sub>4</sub>-haloalkyl, or

Z and R<sup>4</sup> together with the carbon atoms to which they are attached form an optionally substituted 5- or 6-membered carbocyclic or heterocyclic ring and R<sup>1</sup>, R<sup>2</sup>, and R<sup>3</sup> independently of one another represent hydrogen or fluorine.

Claim 20 (Currently amended): The oxathiincarboxamide of formula (I) as claimed in Claim 19 in which

G<sup>1</sup> represents ~~fluorine, chlorine, bromine, iodine,~~ trifluoromethyl, difluoromethyl, or cyclopropyl,

G<sup>2</sup> and G<sup>3</sup> independently of one another represent hydrogen, or methyl, and

n represents 0 or 2.

Claim 21 (previously presented): The oxathiincarboxamide of formula (I) as claimed in Claim 19 in which R<sup>5</sup> represents hydrogen.

Claim 22 (previously presented): The oxathiincarboxamide of formula (I) as claimed in Claim 19 in which

R<sup>1</sup> represents hydrogen, fluorine, chlorine, or methyl,

R<sup>2</sup> represents hydrogen, fluorine, chlorine, isopropyl, or methylthio,

R<sup>3</sup> represents hydrogen, fluorine, chlorine, or methyl, and


R<sup>4</sup> represents hydrogen, fluorine, chlorine, or methyl.

Claims 23-27 (canceled)

Claim 28 (previously presented): A composition for controlling unwanted microorganisms comprising one or more oxathiincarboxamides of formula (I) as claimed in Claim 19 and one or more extenders and/or surfactants.

Claims 29-32 (canceled)

Claim 33 (withdrawn – currently amended): A hydroxyalkyloxathiincarboxamide of formula (VIII)



in which

$G^1$  represents halogen, trifluoromethyl, difluoromethyl, or cyclopropyl,

$G^2$  and  $G^3$  independently of one another represent hydrogen or methyl,

$n$  represents 0, 1 or 2,

$R^1$ ,  $R^2$ ,  $R^3$ , and  $R^4$  independently of one another represent hydrogen, fluorine, chlorine, methyl, isopropyl, or methylthio,

$R^5$  represents hydrogen,  $C_1$ - $C_8$ -alkyl,  $C_1$ - $C_6$ -alkylsulfinyl,  $C_1$ - $C_6$ -alkylsulfonyl,  $C_1$ - $C_4$ -alkoxy- $C_1$ - $C_4$ -alkyl, or  $C_3$ - $C_8$ -cycloalkyl; represents  $C_1$ - $C_6$ -haloalkyl,  $C_1$ - $C_4$ -haloalkylthio,  $C_1$ - $C_4$ -haloalkylsulfinyl,  $C_1$ - $C_4$ -haloalkylsulfonyl, halo- $C_1$ - $C_4$ -alkoxy- $C_1$ - $C_4$ -alkyl, or  $C_3$ - $C_8$ -halocycloalkyl having in each case 1 to 9 fluorine, chlorine, and/or bromine atoms; represents formyl- $C_1$ - $C_3$ -alkyl, ( $C_1$ - $C_3$ -alkyl)carbonyl- $C_1$ - $C_3$ -alkyl, or ( $C_1$ - $C_3$ -alkoxy)carbonyl- $C_1$ - $C_3$ -alkyl; represents ( $C_1$ - $C_3$ -haloalkyl)carbonyl- $C_1$ - $C_3$ -alkyl or ( $C_1$ - $C_3$ -haloalkoxy)-carbonyl- $C_1$ - $C_3$ -alkyl having in each case 1 to 7 fluorine, chlorine, and/or bromine atoms; represents ( $C_1$ - $C_3$ -alkyl)carbonyl- $C_1$ - $C_3$ -haloalkyl or ( $C_1$ - $C_3$ -alkoxy)carbonyl- $C_1$ - $C_3$ -haloalkyl having in each case 1 to 6 fluorine, chlorine, and/or bromine atoms; represents ( $C_1$ - $C_3$ -haloalkyl)carbonyl- $C_1$ - $C_3$ -haloalkyl or ( $C_1$ - $C_3$ -haloalkoxy)carbonyl- $C_1$ - $C_3$ -haloalkyl having in each case 1 to 13 fluorine, chlorine, and/or bromine atoms; or represents  $-COR^6$ ,  $-CONR^7R^8$ , or  $-CH_2NR^9R^{10}$ ,

- R<sup>6</sup> represents hydrogen, C<sub>1</sub>-C<sub>8</sub>-alkyl, C<sub>1</sub>-C<sub>8</sub>-alkoxy, C<sub>1</sub>-C<sub>4</sub>-alkoxy-C<sub>1</sub>-C<sub>4</sub>-alkyl, or C<sub>3</sub>-C<sub>8</sub>-cycloalkyl; represents C<sub>1</sub>-C<sub>6</sub>-haloalkyl, C<sub>1</sub>-C<sub>6</sub>-haloalkoxy, halo-C<sub>1</sub>-C<sub>4</sub>-alkoxy-C<sub>1</sub>-C<sub>4</sub>-alkyl, or C<sub>3</sub>-C<sub>8</sub>-halocycloalkyl having in each case 1 to 9 fluorine, chlorine, and/or bromine atoms; or represents -COR<sup>11</sup>,
- R<sup>7</sup> and R<sup>8</sup> independently of one another represent hydrogen, C<sub>1</sub>-C<sub>8</sub>-alkyl, C<sub>1</sub>-C<sub>4</sub>-alkoxy-C<sub>1</sub>-C<sub>4</sub>-alkyl, or C<sub>3</sub>-C<sub>8</sub>-cycloalkyl; represent C<sub>1</sub>-C<sub>8</sub>-haloalkyl, halo-C<sub>1</sub>-C<sub>4</sub>-alkoxy-C<sub>1</sub>-C<sub>4</sub>-alkyl, or C<sub>3</sub>-C<sub>8</sub>-halocycloalkyl having in each case 1 to 9 fluorine, chlorine, and/or bromine atoms; or R<sup>7</sup> and R<sup>8</sup> together with the nitrogen atom to which they are attached form a saturated heterocycle having 5 to 8 ring atoms, where the heterocycle optionally contains 1 or 2 further nonadjacent heteroatoms selected from the group consisting of oxygen, sulphur, and NR<sup>12</sup> and is optionally mono- or polysubstituted by identical or different substituents selected from the group consisting of halogen and C<sub>1</sub>-C<sub>4</sub>-alkyl,
- R<sup>9</sup> and R<sup>10</sup> independently of one another represent hydrogen, C<sub>1</sub>-C<sub>8</sub>-alkyl, or C<sub>3</sub>-C<sub>8</sub>-cycloalkyl; or represent C<sub>1</sub>-C<sub>8</sub>-haloalkyl, C<sub>3</sub>-C<sub>8</sub>-halocycloalkyl having in each case 1 to 9 fluorine, chlorine, and/or bromine atoms; or R<sup>9</sup> and R<sup>10</sup> together with the nitrogen atom to which they are attached form a saturated heterocycle having 5 to 8 ring atoms, where the heterocycle optionally contains 1 or 2 further nonadjacent heteroatoms selected from the group consisting of oxygen, sulphur, and NR<sup>12</sup> and is optionally mono- or polysubstituted by identical or different substituents selected from the group consisting of halogen and C<sub>1</sub>-C<sub>4</sub>-alkyl,
- R<sup>11</sup> represents hydrogen, C<sub>1</sub>-C<sub>8</sub>-alkyl, C<sub>1</sub>-C<sub>8</sub>-alkoxy, C<sub>1</sub>-C<sub>4</sub>-alkoxy-C<sub>1</sub>-C<sub>4</sub>-alkyl, or C<sub>3</sub>-C<sub>8</sub>-cycloalkyl; represents C<sub>1</sub>-C<sub>6</sub>-haloalkyl, C<sub>1</sub>-C<sub>6</sub>-haloalkoxy, halo-C<sub>1</sub>-C<sub>4</sub>-alkoxy-C<sub>1</sub>-C<sub>4</sub>-alkyl, or C<sub>3</sub>-C<sub>8</sub>-halocycloalkyl having in each case 1 to 9 fluorine, chlorine, and/or bromine atoms,
- R<sup>12</sup> represents hydrogen or C<sub>1</sub>-C<sub>6</sub>-alkyl, and
- X<sup>5</sup> represents C<sub>2</sub>-C<sub>20</sub>-hydroxyalkyl that is optionally additionally mono- or polysubstituted by identical or different substituents selected from the group consisting of halogen and C<sub>3</sub>-C<sub>6</sub>-cycloalkyl in which the cycloalkyl moiety is optionally substituted by halogen and/or C<sub>1</sub>-C<sub>4</sub>-alkyl.

Claims 34-35 (canceled)